

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: Glass Boost Primer

Relevant identified uses of the substance or mixture and uses advised against

Product category Ink and toners

Application of the substance / the mixture Printing inks

Details of the supplier of the safety data sheet

Name INKCUPS NOW CORP.

Full address 310 Andover St.

District and Country Danvers, MA. 01923

U.S.A.

Tel. 9786468980

Fax 9786468981

e-mail address of the competent person

responsible for the Safety Data Sheet compliance@inkcups.com

Product distribution by: Inkcups

Emergency telephone number 1 800 424 9300

2 Hazards identification

For urgent inquiries refer to 18004249300

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3	H226	Flammable liquid and vapour.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Dam. 1	H318	Causes serious eye damage.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Repr. 1B	H360Df	May damage the unborn child. Suspected of damaging fertility.
STOT SE 3	H335	May cause respiratory irritation.
Aquatic Chronic 2 H411	H411	Toxic to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS05 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

ethyl lactate

hexamethylene diacrylate

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 1)

dibutylphthalate
 propylidynetrimethanol, propoxylated, esters with acrylic acid
 Methacrylate acid ester

Hazard statements

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H360Df May damage the unborn child. Suspected of damaging fertility.
 H335 May cause respiratory irritation.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards No additional information available.**3 Composition/information on ingredients****Chemical characterisation: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 13048-33-4	hexamethylene diacrylate	25 - 50%
EINECS: 235-921-9	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens.	
Index number: 607-109-00-8	1, H317	
CAS: 97-64-3	ethyl lactate	≥ 10 - ≤ 50%
EINECS: 202-598-0	Flam. Liq. 3, H226; Eye Dam. 1, H318; STOT SE 3, H335	
Index number: 607-129-00-7		
CAS: 53879-54-2	propylidynetrimethanol, propoxylated, esters with acrylic acid	10 - 25%
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Methacrylate acid ester	≥ 2.5 - < 10%
	Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥ 2.5 - < 3%
EINECS: 278-355-8	Repr. 2, H361f	
Index number: 015-203-00-X		
CAS: 67-63-0	isopropanol	≥ 0 - ≤ 2.5%
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
CAS: 84-74-2	dibutylphthalate	≥ 0.3 - < 2.5%
EINECS: 201-557-4	Repr. 1B, H360Df; Aquatic Acute 1, H400	
Index number: 607-318-00-4		

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 2)

SVHC

84-74-2 dibutyl phthalate

Additional information: For the wording of the listed hazard phrases refer to section 16.**4 First aid measures****Description of first aid measures****After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:** If symptoms persist consult doctor.**Most important symptoms and effects, both acute and delayed** No further relevant information available.**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures**Extinguishing media****Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.**For safety reasons unsuitable extinguishing agents:** Water with full jet**Special hazards arising from the substance or mixture** No further relevant information available.**Advice for firefighters****Protective equipment:** No special measures required.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling:****Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 3)

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep container tightly sealed.**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical facilities:** No further data; see item 7.**Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 4)

Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:****Form:**

Fluid

Colour:

According to product specification

Odour:

Characteristic

Odour threshold:

Not determined.

pH-value:

Not determined.

Change in condition**Melting point/freezing point:**

Undetermined.

Initial boiling point and boiling range: 107 °C**Flash point:**

23 - 60 °C

Flammability (solid, gas):

Not applicable.

Ignition temperature:

235 °C

Decomposition temperature:

Not determined.

Auto-ignition temperature:

Product is not selfigniting.

Explosive properties:

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits:**Lower:**

Not determined.

Upper:

Not determined.

Vapour pressure at 50 °C:

0 hPa

Density:

Not determined.

Relative density

Not determined.

Vapour density

Not determined.

Evaporation rate

Not determined.

Solubility in / Miscibility with water:

Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.**Viscosity:****Dynamic:**

Not determined.

Kinematic:

Not determined.

Solvent separation test:**VOC (EC)**

0.67 - < 1.1 %

Solids content:

55.1 %

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 5)

Other information

No further relevant information available.

10 Stability and reactivity**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.**11 Toxicological information****Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****13048-33-4 hexamethylene diacrylate**

Oral LD50 > 5,000 mg/kg (rat)

Dermal LD50 > 3,000 mg/kg (rab)

53879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid

Oral LD50 > 2,000 mg/kg (rat)

67-63-0 isopropanol

Oral LD50 5,045 mg/kg (rat)

Dermal LD50 12,800 mg/kg (rabbit)

Inhalative LC50/4 h 30 mg/l (rat)

84-74-2 dibutyl phthalate

Oral LD50 8,000 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

Primary irritant effect:**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

EU

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 6)

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behaviour in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number****ADR, IMDG, IATA**

UN1993

UN proper shipping name**ADR**

1993 FLAMMABLE LIQUID, N.O.S. (ETHYL LACTATE, ISOPROPANOL (ISOPROPYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS

IMDG

FLAMMABLE LIQUID, N.O.S. (ETHYL LACTATE, ISOPROPANOL (ISOPROPYL ALCOHOL)), MARINE POLLUTANT

IATA

FLAMMABLE LIQUID, N.O.S. (ETHYL LACTATE, ISOPROPANOL (ISOPROPYL ALCOHOL))

Transport hazard class(es)**ADR, IMDG****Class**

3 Flammable liquids.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 7)

Label 3**IATA****Class** 3 Flammable liquids.**Label** 3**Packing group****ADR, IMDG, IATA**

III

Environmental hazards:Product contains environmentally hazardous substances:
dibutyl phthalate

Symbol (fish and tree)

Symbol (fish and tree)

Marine pollutant:**Special marking (ADR):**

Warning: Flammable liquids.

Special precautions for user**Hazard identification number (Kemler code):** 30**EMS Number:** F-E,S-E**Stowage Category** A**Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

Transport/Additional information:**ADR****Limited quantities (LQ)** 5L**Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category 3**Tunnel restriction code** D/E**IMDG****Limited quantities (LQ)** 5L**Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N. O.S. (ETHYL LACTATE, ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

84-74-2 dibutyl phthalate: Sunset date: 2015-02-21

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 8)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 51b**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

84-74-2 dibutyl phthalate

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

84-74-2 dibutyl phthalate

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

Contact:**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Flam. Liq. 3: Flammable liquids – Category 3
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Skin Sens. 1: Skin sensitisation – Category 1
 Repr. 1B: Reproductive toxicity – Category 1B

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 1.0

Revision: 24.05.2022

Trade name: Glass Boost Primer

(Contd. of page 9)

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EU
