

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

# 1 Identification

#### **Product identifier**

**Product name:** LVR White **Article number:** LVR White

Application of the substance / the mixture: Printing inks, Restricted to professional users.

### Details of the supplier of the safety data sheet

INKCUPS CORP. 310 ANDOVER ST. DANVERS, MA 01923 - USA 978-646-8980

Information department: compliance@inkcups.com

Emergency telephone number: CHEMTREC 800-424-9300 24hr

# 2 Hazard(s) identification

#### **OSHA/HCS status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.

Skin Irrit. 2; H315, Causes skin irritation.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Dam. 1; H318, Causes serious eye damage.

STOT SE 3; H335, May cause respiratory irritation.

Repr. 1B; H360, May damage fertility or the unborn child.

STOT RE 1; H372, Causes damage to organs through prolonged or repeated exposure.

# Label elements

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms** 



## Signal word Danger

#### **Hazard statements**

Harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

May cause respiratory irritation.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

## **Precautionary statements**

Obtain special instructions before use.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

Do not handle until all safety precautions have been read and understood.

Do not breathe vapor/mist.

Wash hands and exposed skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear face protection/protective gloves/protective clothing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER/doctor.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: This product is a mixture.

#### **Dangerous components:**

Trade Secret Mixture of monomers	60 - 80%
Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318;	
STOT SE 3, H335; Repr. 2, H361; STOT RE 1, H372	
86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	5 - 10%
Acute Tox. 4, H302; Skin Sens. 1, H317	
84434-11-7 Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	5 - 10%
Skin Sens. 1B, H317	
162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	< 1%
Skin Sens. 1A, H317	
2399-48-6 Tetrahydrofurfuryl acrylate	< 1%
1, HHNOC071; Acute Tox. 4, H302; Skin Corr. 1C, H314; Skin Sens. 1B, H317;	
Eye Dam. 1, H318; Repr. 1B, H360	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

# 4 First-aid measures

# **Description of first aid measures**

# General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

## Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

#### Eve contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

# **Ingestion**

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor.

#### Burns

Not applicable.

# Most important symptoms and effects, both acute and delayed

Sensitization: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

#### Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

#### **Information to medics**

Bring this safety data sheet or the label from this product.

# 5 Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

## Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NOx)

Carbon oxides (CO / CO<sub>2</sub>)

#### Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

# 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

# **Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill.

## Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# 7 Handling and storage

#### Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Recommended storage material

Keep only in original packaging.

## Storage conditions

Dry, cool and well ventilated 5 - 30°C

Protect from sunlight.

#### **Incompatible materials**

No specific requirements

#### Specific end use(s)

This product should only be used for applications quoted in section 1.

# 8 Exposure controls/personal protection

#### **Control parameters**

titanium dioxide

Long term exposure limit (ACGIH TLV) (mg/m³): 10

Long term exposure limit (NIOSH REL) (mg/m³): Potential occupational carcinogen; (ultrafine particles) / 2.4 (fine) / 0.3 (ultrafine)

toluene

Short term exposure limit (STEL) (NIOSH REL) (ppm): 150

Long term exposure limit (ACGIH TLV) (ppm): 20

ethylbenzene

Short term exposure limit (STEL) (NIOSH REL) (ppm): 125

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 435

Long term exposure limit (OSHA Table Z-1) (ppm): 100

Long term exposure limit (ACGIH TLV) (ppm): 20

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

## **Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

# **General recommendations**

Smoking, drinking and consumption of food is not allowed in the work area.

# **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

#### Appropriate technical measures

The formation of vapors must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapors.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face. Take off contaminated clothing and wash it before reuse.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

## **Respiratory Equipment**

Respiratory protection is not needed in the event of adequate ventilation.

### Skin protection



Dedicated work clothing should be worn.

#### Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection



In the likel hood of direct or incidental exposure, use face protection.



anti-splash safety goggles

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

# 9 Physical and chemical properties

## Information on basic physical and chemical properties

#### **General Information**

Appearance:

Form: Liquid
Color: White
Odor: Characteristic
Odor threshold: Not determined.
pH-value: Not relevant.

Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Undetermined.
> 95 °C (> 203 °F)

Flammability (solid, gaseous):
Not applicable.

Decomposition temperature:
Not determined.

**Auto igniting:** Product is not self-igniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:** 

Lower: Not determined.
Upper: Not determined.
Vapor pressure: Not determined.

Density: Not determined.
Relative density Not determined.
Vapor density Not determined.
Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Not determined.

Partition coefficient (n-octanol/water): Not determined.

**Viscosity:** 

**Dynamic:** Not determined. **Kinematic:** Not determined.

**Other information** No further relevant information available.

# 10 Stability and reactivity

#### Reactivity

No data available.

#### Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### Possibility of hazardous reactions, including those associated with foreseeable emergencies

None known.

# Conditions to avoid

Sunlight

#### **Incompatible materials**

No specific requirements

# Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

# 11 Toxicological information

#### Information on toxicological effects

#### Acute toxicity:

Harmful if swallowed.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

May damage fertility or the unborn child.

#### STOT-single exposure

May cause respiratory irritation.

#### **STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

#### Other information

titanium dioxide has been classified by IARC as a group 2B carcinogen.

toluene has been classified by IARC as a group 3 carcinogen.

ethylbenzene has been classified by IARC as a group 2B carcinogen.

# 12 Ecological information

#### **Toxicity**

Based on available data, the classification criteria are not met.

## Persistence and degradability

No data available.

# Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### Mobility in soil

No data available.

#### Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### Other adverse effects

None known.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

# 13 Disposal considerations

# RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

toluene is listed with EPA Hazardous Waste Number: U220

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# 14 Transport information

**UN-Number** 

DOT UN3082 IMDG, IATA UN3082

UN proper shipping name

**DOT** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

IMDG (acrylate monomer), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

IATA (acrylate monomer), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(acrylate monomer)

Transport hazard class(es)

IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles

Label 9

Packing group

**DOT** not regulated

IMDG, IATA

**Environmental hazards:** 

Marine pollutant:Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

Special precautions for user Warning: Miscellaneous dangerous substances and articles

Hazard identification number (Kemler code): 90
EMS Number: F-A S-F
Stowage Category A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

**Transport/Additional information:** 

**IMDG** 

Limited quantities (LQ) 5L

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (ACRYLATE MONOMER), 9, III

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

#### **Additional Information**

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of DOT/IMDG/IATA provided the packaging's meet the general specifications for packaging: Part 178 (DOT) / 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

DOT / See § 172.101 Hazardous Materials Table for any information on special provisions, requirements, or warnings in connection with transport. See § 172.602, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

# 15 Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture U.S. Federal regulations

### **TSCA** (the non-confidential portion)

components of mixture of monomers are listed titanium dioxide is listed 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester is listed phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide is listed Tetrahydrofurfuryl acrylate is listed toluene is listed ethylbenzene is listed

#### Clean Air Act

toluene is regulated as a hazardous air pollutant (HAPS) ethylbenzene is regulated as a hazardous air pollutant (HAPS)

#### **EPCRA Section 302**

None of the components are listed

## **EPCRA Section 304**

None of the components are listed

#### **EPCRA section 313**

toluene is listed ethylbenzene is listed

#### **CERCLA**

toluene is regulated with a Reportable Quantity (RQ) of: 1000 pounds ethylbenzene is regulated with a Reportable Quantity (RQ) of: 1000 pounds

#### Hazardous chemical inventory reporting

This product is subject to Tier II reporting.

#### State regulations

# California / Prop. 65

titanium dioxide is known to cause: cancer

toluene is known to cause: Developmental Toxicity

NSRL/MADL (µg/day): 7000 (Level represents absorbed dose (rounded from 6,525 µg/day)

ethylbenzene is known to cause: Cancer

NSRL/MADL (µg/day): 54 (inhalation) 41 (oral)

# Massachusetts / Right To Know Act

titanium dioxide is listed toluene is listed ethylbenzene is listed

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

## New Jersey / Right To Know Act

titanium dioxide / Substance number: 1861

toluene / Substance number: 1866

toluene is on the Special Health Hazard Substance List

ethylbenzene / Substance number: 0851

ethylbenzene is on the Special Health Hazard Substance List

### New York / Right To Know Act

titanium dioxide is listed

titanium dioxide is regulated with a Threshold Reporting Quantity (TRQ) of: 100 pounds

toluene is listed

toluene is regulated with a Reportable Quantity (RQ) of: 1000 pounds

toluene is regulated with a Threshold Reporting Quantity (TRQ) of: 0 pounds

ethylbenzene is listed

ethylbenzene is regulated with a Reportable Quantity (RQ) of: 1000 pounds

ethylbenzene is regulated with a Threshold Reporting Quantity (TRQ) of: 0 pounds

# Pennsylvania / Right To Know Act

titanium dioxide is listed

toluene is listed

toluene is hazardous to the environment (E)

ethylbenzene is listed

ethylbenzene is hazardous to the environment (E)

# Restrictions for application

Restricted to professional users.

#### **Demands for specific education**

No specific requirements.

#### **Additional information**

Not applicable.

# Chemical safety assessment

No

#### Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

# 16 Other information

## Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H360, May damage fertility or the unborn child.

H361, Suspected of damaging fertility or the unborn child.

H372, Causes damage to organs through prolonged or repeated exposure.

HHNOC071, Corrosive to the respiratory tract.

#### The full text of identified uses as mentioned in section 1

None known.

#### Abbreviations and acronyms

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Printing date 05/01/2025 Version: 1.0 Reviewed on 05/01/2025

Product name: LVR White

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en